



Java Overview and zSeries Update



Theresa Tai
August 25, 2005 Session 8365
zSeries New Technology Center, Poughkeepsie,
New York
ttai@us.ibm.com





Trademarks

IBM, AIX, CICS, DB2, IMS, z/OS, OS/390, S/390, System/390, VisualAge, WebSphere Application Server, WebSphere Studio, z/VM - are trademarks or registered trademarks of the IBM Corporation

Sun, Sun Microsystems, JavaSoft, Java, JavaBeans, JDK, Java 2 Micro Edition, J2ME, Java 2 Standard Edition, J2SE, Java 2 Enterprise Edition, J2EE - are trademarks or registered trademarks of Sun Microsystems Inc.





Content



Overview: Java on z/OS

IBM Investment in Java

- Market leader in delivering Java technology
- z/OS platform for mission critical workload


2005 focus for Java on z/OS

- IBM SDK for z/OS, Java 2 Technology Edition V1.4
- Supporting key IBM middleware & Operating Systems
- Introducing zAAP Engines for Java Workloads

Looking Ahead: What's next

Wrap-up and final Q&As

SDK for z/OS and OS/390



- ❖ IBM Developer Kit for OS/390, Java 2 Technology Edition V1.3
 - Currently at SDK1.3.1 Level
 - Product 5655-D35
 - Build Level: April 21, 2005 (PTF UK03478)
- ❖ IBM SDK for z/OS, Java 2 Technology Edition, Version 1.4
 - Currently at SDK1.4.2 level
 - Product 5655-I56; Supported on z/OS V1.2 and above
 - Build Level: June 23, 2005 (PTF UK04987)
- ❖ IBM 64-bit SDK for z/OS, Java 2 Technology Edition, Version 1.4
 - Web available on September 24, 2004 at SDK1.4.2 level
 - Product 5655-M30; Supported on z/OS V1.6 and above
 - Build Level: June 9, 2005 (PTF UK05194)
 - All products are delivered via the z/OS Java website in non-SMP/E format and via ShopIBM in SMP/E format
- ❖ No Charge Product but it is supported by the normal IBM support channels

NOTE: The EOS date for SDK 1.3.1 is September 2007

The EOS date for SDK 1.4.2 is September 2009



SDK for Linux on zSeries

- ❖ IBM Developer Kit for Linux®, Java 2 Technology Edition, Version 1.3
 - SDK1.3.1 Level
 - SuSe SLES 8, Turbo
- ❖ IBM 31-bit SDK for Linux® on zSeries, Java 2 Technology Edition, Version 1.4
 - SDK1.4.2 Level
 - SuSe SLES 8, 31 bit mode, RHEL3, RHEL4
- ❖ IBM 64-bit SDK for Linux® on zSeries, Java 2 Technology Edition, Version 1.4
 - SDK 1.4.2 Level
 - SuSe United LINUX (aka SLES 8 & SLES 9), RHEL 3 & 4 (NPTL)
 - First 64-bit Java SDK on zSeries
- ❖ Delivery and Service
 - On DeveloperWorks at
 - <https://www6.software.ibm.com/dl/lxdk/lxdk-p>
 - Also available from LINUX distributors
 - Level 1, 2 service by IGS contract
 - Same EOS as SDK for z/OS: 9/07 for SDK 1.3.1 and 9/09 for SDK 1.4




See a summary of tested platforms at <http://www-128.ibm.com/developerworks/java/jdk/linux/tested.html>

Java Overview and zSeries Update, IBM Corporation 2005

The Re-engineered IBM JVM

- ❖ The Re-engineered JVM common code base, plus Platform-specific code for


- File handling
- ASCII vs EBCDIC code page
- JARIO (Java Record I/O)
- RAS Characteristics
- Profiling and Security APIs
- RACF Integration
- Hardware instruction set



- ❖ Integral Part of WebSphere Application Server platform
- ❖ Be the market leader in delivering Java technology

IBM Java™ 2 Objective - Value Add


- ❖ IBM Owned SDK Asset Base
- ❖ Improved Quality of IBM SDKs
 - Better development processes
 - More consistent functional implementation
 - Performance enhancements across platforms
 - IBM Technology Added Value (JVM and Classes)
 - IBM Just In Time (JIT) compiler
- ❖ Reduced cost of porting to new platforms
- ❖ Leverage new technology in both IBM hardware and software
- ❖ Continually Improving Tools for Application Development and Deployment
- ❖ Improved Performance, Scalability, RAS and improved System Exploitation



GOAL: Deliver Complete, Fully Compliant, Leadership SDKs

IBM JVM Additional Value-Add

New Entry Points







Java Strategy for zSeries Platform

- ❖ Establish Java as a "de facto" programming environment on zSeries
 - Deliver J2EE capability in synch with Java industry standards (J2EE Certified)
- ❖ Lead with z/OS Qualities of Service
 - Market leader in delivering Java technology
 - z/OS platform for mission critical workload
- ❖ Enable all "Application Execution Environments" to support Java2 based applications:
 - WebSphere Application Server
 - Transaction Servers, ie. CICS & IMS
 - DB2 data base (Stored Procedures)
 - Enable connectivity to middleware
 - Messaging queuing
 - Java Batch processing


Continue to provide world class Development and Deployment Tooling

JVM on z/OS




What is Garbage Collection (GC) ?

- Garbage collection is within the JVM that automatically detects objects that are no longer being used and frees them to reclaim the space
- Garbage collection is called
 - Allocation failure
 - Called to a method `System.gc()`



GC Evolution

- ❖ From Concurrent GC (SDK 1.3) to Mark & Sweep with optional Compaction (SDK 1.3.1)
- ❖ Mark and Sweep with optional Compaction
 - Marking live objects
 - A live object is an object that is still reachable by program code; that is, it is not garbage
 - Sweeping up the garbage and coalescing it into large areas of free space
 - Compacting the remaining live objects to create a yet larger area of free space
- ❖ SDK 1.4.2 Incremental Compaction
 - Compacting a different section of each heap's GC cycle
 - Reduce pause time



Memory Management



❖ Java Heap & Garbage Collection

- Do nothing, use defaults
 - 64MB
 - WebSphere default is 256MB for WAS V5 and V6

❖ Java heap size and GC frequency

- Use small heap, frequent, fast GC
- Use large heap, infrequent, slow GC

❖ Make sure you have enough physical memory to support the heap size



Java Heap Tuning & Performance Tips

- ❖ Collect verboseGC data under peak load
- ❖ Verify that your free space in the heap does not 'shrink' from GC to GC
 - Possible memory leak?
 - Look at the %Free data field
- ❖ Performance Tips
 - Make sure the JIT is enabled
 - Do not use debug version of Java
 - Make sure you only point to classes you need
 - Make your CLASSPATH efficient
 - Put frequently referenced classes first
 - Turn off JRAS debugging support
 - Set a reasonable Java heap size
 - Review GC overhead % on a regular basis



Tuning: The *Right* Java Heapsize

- ❖ Collecting -verbose:gc data (output below)
- ❖ The desirable GC overhead % is about 5%
 Reference Chapter 3 Tuning Performance Parameter Index of WAS V5.1
 Information Center
 Document Title: Performance Monitoring and Tuning

$$\text{GC Overhead\%} = \frac{\text{elapsed time doing GC}}{\text{elapsed time from GC to GC}} * 100$$

- ❖ Example: $118/32225 * 100 = 0.366\%$

```
.
.
<AF[21]: Allocation Failure. need 32784 bytes, 32225 ms since last AF>
<AF[21]: managing allocation failure, action=1 (84320/131004928) (3145728/3145728)>
<GC(21): GC cycle started Wed Aug 05 22:46:11 2003
<GC(21): freed 99587928 bytes, 76% free (102817976/134150656), in 118 ms>
<GC(21): mark: 103 ms, sweep: 15 ms, compact: 0 ms>
<GC(21): refs: soft 0 (age >= 32), weak 0, final 878, phantom 0>
<AF[21]: completed in 118 ms> . . .
```




IBM JIT: Just-In-Time Compiler

❖ What does the JIT compiler do?

- It dynamically generates machine code for frequently used bytecode sequences in Java applications while they are running
- To improve performance by optimizing machine code execution

❖ MMI (Mixed Mode Interpreter) component

- Designed to optimize the startup time and runtime performance of Java applications
- Using a fast Assembler bytecode interpreter (EXECJAVA)



The Persistent Reusable JVM (aka Resettable JVM)

- ❖ The Hi-performance transactional JVM
- ❖ Significant savings on the start up cost
- ❖ Allow single JVM to be used for multiple transactions
- ❖ The high throughput, short & repetitive transactions
- ❖ Single transaction per JVM at any time
- ❖ Optimized Garbage Collection - Split Heaps
- ❖ The Exploiters
 - CICS, IMS and DB2 (Stored Procedures)
- ❖ Shared Classes
 - Reduced memory footprint
 - Increased performance
- ❖ **Obsolete in SDK 1.4.2 with 64-bit JVM**
 - Still being supported under the 31-bit JVM





Java Record I/O

- ❖ JRIO is a class library, similar to java.io
- ❖ JRIO provides record-oriented access on z/OS
 - Virtual Sequential Access Method (VSAM) data sets (KSDS only)
 - Non-VSAM record-oriented data sets
 - The System Catalog
 - Partitioned data set (PDS) directory
 - DDName and GDGs support (GDG for PDS target 4Q05)
 - SPACE and DISP parameter support
- ❖ How do I and sample programs
 - <http://www-1.ibm.com/servers/eserver/zseries/software/java/jrio/recordio/examples/index.html>


IBM RAS for Java

❖ JVM initiated System Dumps

- Environment variable JAVA_DUMP_OPTS available
- Rewritten Dump Formatter (IPCS JVMDATA)

❖ Improved tracing and problem determination

- JVM Exception handler improvements
- Method Level Trace
- Application Trace
 - Call Java trace from Java Programs
- JVM Monitoring Interface JVMMI
 - Lightweight version of JVMPPI
- Robust termination
- GTF trace for a JITed Java method
- Hook to interface with MVS dynamic slip trap to collect dumps/traces
- Java Debugger (JDB) part of JDPA



❖ IBM JVM Diagnostics Guide

- <http://www.ibm.com/developerworks/java/jdk/diagnosis/index.html>

SDK 1.4 Highlights

- ❖ The primary focus of J2EE 1.4 is support for Web Services
 - JAX-RPC (Java API for XML-Remote Procedure Call)
 - SAAJ APIs (SOAP with Attachments API for Java)
 - EJB specifications are extended to support WS using stateless session beans
 - JAXR APIs supports access to registries and repositories
- ❖ The Connector API now supports integration with asynchronous messages systems, plug in JMS providers
- ❖ XPLINK - Use z/OS XPLINK linkage mechanisms
- ❖ The IBMJCE4758 provider
- ❖ Compliant with Sun Java SDK 1.4 APIs
 - <http://java.sun.com/j2se/1.4/docs/>
- ❖ We are certified – Sun's CTS (visit Sun's website)
- ❖ Java Overview and Features Update IBM Corporation 2005
JSR 0059 defines content of SDK 1.4



Migration Considerations

- ❖ Coexistence and Interoperability
 - SDK 1.4.x shall coexist with **PREVIOUS** release of the IBM SDK installed on the same platform
- ❖ Back up all the configuration files and security policy files before upgrade
- ❖ There is no guarantee that SDK 1.4.2 compiled classes work on pre 1.4 SDK releases
- ❖ The 64-bit z/OS SDK installation is designed to install to a different directory tree from any currently installed 31-bit SDK (they co-exist)
 - `/usr/lpp/java/J1.4_64/bin` (default)

Note: Java SDK1.4.2 is imbedded in WebSphere Application Server V6

zAAP: New Java Workload Engine on z/OS

- ❖ zAAP (zSeries Application Assist Processor)
- ❖ New processor type on z890, z990, z9-109 hardware supporting z/OS
- ❖ Order using Feature Code 6520
 - You can order up to one zAAP per configured or unassigned standard CP on the processor
- ❖ A specialized z/OS and z/OS.e Java execution environment for Java-based applications
 - WAS V5.1
 - CICS/TS V2.3
 - DB2 V7 and V8
 - IMS V8
 - WebSphere WBI for z/OS
- ❖ Newly instrumented IBM JVM
 - With no anticipated modifications to Java application
- ❖ Require z/OS 1.6 and SDK 1.4 with PTF UQ88783
- ❖ Usage projection
 - z/OS V1.4 or z/OS V1.5 and SDK1.4 with PTF UQ88783 (recommended)
 - SDK1.3.1 with PTF UQ94379
 - z/OS V1.6 RMF report to collect the ‘Would Have Been’ zAAP usage

What is Java Security?

- ❖ Part of Java 2 framework
 - A set of common cross platform programming API's
- ❖ Java security extensions
 - A set of common API's to extend Java 2 to add security capabilities
- ❖ Allow Java applications easy access to complex security capabilities within Java framework
- ❖ Java security extensions added to base Java 2 (J2SE) framework with SDK 1.4






Java Security Components on z/OS

- ❖ **JAAS**: Java Authentication and Authorization
- ❖ **JCE**: Java Cryptographic Extension using CCA (Common Cryptographic Architecture)
- ❖ **JCE4758**: IBM zSeries HW Cryptographic Device
- ❖ **JSSE**: Java Secure Socket Extension support SSL and TLS
- ❖ **SAF Interface**: z/OS Security Services in Java
 - Implement a SAF interface using JNI to call SAF/RACF

J2EE and Java 2 Security





IBM Rational Application Developer (RAD)

- ❖ RAD is the new development tool for applications
 - Rational Software Development Platform (Eclipse 3.0)
 - RAD - Rational Application Developer (V6.0)
 - RWD – Rational Web Developer (V6.0)
 - A follow-on products for
 - WSAD (WebSphere Studio Application Developer)
 - WSSD (WebSphere Studio Site Developer)
- ❖ Maintain standards and middleware currency
 - Full support for building J2EE 1.4 applications
 - SDO, JSF, Portal, Modeling, Deploying, Profiling and Testing
 - Support deployment to WAS V5, V5.1 and V6
 - Supports J2EE 1.2 and 1.3 applications migrated to 1.4
- ❖ Extends on the features of WSAD

Profiling Tools

❖ RAD Profiler

- Memory analysis features to locate memory leaks in heap dumps
- New ProbeKit
 - Easy profiling at key points in the application using byte-code instrumentation
 - Don't have to recompiling the classes to be profiled
 - Summary report on % on amount of code is executed

❖ RAD Application Analysis

- Applications can be reviewed for coding practices
 - For GC, performance, scalability, portability, serialization and thread usage
- Allow developers to create their own rules based templates

❖ WebSphere PMI (Performance Monitoring Infrastructure)

- JMX MBeans, byte-code implementation
- It collects statistics on activities in the server
- Requires the TPV (Tivoli Performance Viewer)

The XML Toolkit V1.8 for z/OS

❖ C++ Parser

- Extra Performance Linkage (XPLINK) support
- Reduced dynamic link library (DLL) footprint
- Support for the latest World Wide Web Consortium (W3C) specifications
- Schema support improvements
- Grammar caching

❖ C++ XSLT Processor

- XPLINK support
- Pluggable memory management
- Improved stability on execution of large stylesheets and XML files
- A global option to pool all text node strings



❖ System requirements

- zSeries HW and z/OS V1.4 or z/OS.e V1.4 or later
- Available on 5/05 for non-SMP/E and 6/05 for SMP/E packages via SDF

Note: Support for the Java XML Parser and Java XSLT Processor is now contained within the IBM SDK for z/OS, Java 2 Technology Edition, V1.4

<http://www.ibm.com/servers/eServer/zseries/software/xml/download/>

<http://www-03.ibm.com/servers/eserver/zseries/software/xml/perform/>



Looking Beyond SDK 1.4.x

- ❖ IBM 31-bit and 64-bit SDK for z/OS, Java 2 Technology Edition, Version 5
 - Provides a full-function SDK at Java 2 technology level with Sun SDK 5 APIs
 - Available from the IBM eServer zSeries Java web site and on tape from IBM Software Delivery and Fulfillment (SDF)
 - **Target availability date: 4Q05**
- ❖ System requirements
 - z/OS V1.6 or z/OS.e V1.6 or later is required
 - z800, z890, z900, z990 and z9-109
- ❖ Deprecated features:
 - 31-bit SDK will no longer support Persistent reusable function
 - 64-bit SDK will no longer support Persistent reusable function as well as share class objects between JVMs running in the same address space



Summary

- ❖ Continue to provide z/OS, OS/390 SDK technology base for
 - WebSphere
 - Linux Middleware
 - ISVs
- ❖ Continued rollout of Java2 including new IBM architectures to allow better platform integration, function, tailoring and performance
- ❖ Recommendation: **Stay Current** by visiting our web site **Frequently**
<http://www.ibm.com/servers/eserver/zseries/software/java>
- ❖ **Reporting a problem**
<http://www-1.ibm.com/servers/eserver/zseries/software/java/services.html>

Reference Summary

- ❖ **SDK 1.4 pre-reqs**
<http://www-1.ibm.com/servers/eserver/zseries/software/java/prereqs14.html>
- ❖ **SDK 1.4 Restrictions and Considerations**
<http://www-1.ibm.com/servers/eserver/zseries/software/java/restrict14.html>
- ❖ **SDK 1.4.2 APIs**
<http://java.sun.com/j2se/1.4.2/docs/api/>
- ❖ **JDB and JPDA**
 - <http://java.sun.com/products/jpda/>
 - <http://java.sun.com/j2se/1.4.2/docs/guide/jpda>
- ❖ **SDK 1.3 and 1.4 compatibility**
<http://java.sun.com/j2se/1.4/compatibility.html>
- ❖ **zAAP**
<http://www-03.ibm.com/servers/eserver/zseries/zaap/>
- ❖ **SDK Diagnostic Guide**
<http://www-106.ibm.com/developerworks/java/jdk/diagnosis/>
- ❖ **WebSphere Studio Application Developer (WSAD)**
<http://www-306.ibm.com/software/awdtools/studioappdev/>
- ❖ **Rational Application Developer (RAD)**
<http://www-306.ibm.com/software/awdtools/developer/application/features/index.html>

thank
you

The word "thank" is in a large, bold, blue font. The letter "t" features a man in a suit and tie. The letter "h" features a woman in a dark top. The letter "a" features a man in a patterned shirt. The letter "n" features a woman in a green top. The letter "k" features a man with glasses. The word "you" is in a large, bold, blue font. The letter "y" features a man in a suit. The letter "o" features a man in a white shirt. The letter "u" features a woman in a green top. The letters are set against a background of a yellow gradient with radiating lines.